



# ***IMPACT*** ***BITS***



# READY FOR IMPACT!



**PRECISION-MACHINED TIPS** ensure a perfect fit to prevent cam out and wear.



**TORSION ZONE** absorbs more torque stress than standard impact bits, helping to maximise the product's lifespan.



**TORX® BITS FEATURE A COLOUR-CODED** sleeve to easily identify the size of the tip and improve productivity.



**HIGH PERFORMANCE ALLOY STEEL** for long-lasting performance and product life.



## 66IM/PH

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR PHILLIPS HEAD SCREWS 25 MM



#### FEATURES:

- For Phillips screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, DIN 3126, ISO 1173, style C 6.3
- In blister pack of 2 pieces and plastic boxes of 10 pieces / 25 pieces

66IM/PH1-2P	7314150445929	2	1	PH1	25	12
66IM/PH1-10P	7314150550739	10	1	PH1	25	12
66IM/PH2-2P	7314150445936	2	1	PH2	25	13
66IM/PH2-10P	7314150550753	10	1	PH2	25	13
66IM/PH2-25P	7314150550777	25	1	PH2	25	13
66IM/PH3-2P	7314150445943	2	1	PH3	25	14
66IM/PH3-10P	7314150550791	10	1	PH3	25	14





## 66IM/PZ

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR POZIDRIV HEAD SCREWS 25 MM



#### FEATURES:

- For Pozidriv screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, DIN 3126, ISO 1173, style C 6.3
- In blister pack of 2 pieces and plastic boxes of 10 pieces / 25 pieces

66IM/PZ1-2P	7314150445950	2	1	PZ1	25	12
66IM/PZ1-10P	7314150550814	10	1	PZ1	25	12
66IM/PZ2-2P	7314150445967	2	1	PZ2	25	13
66IM/PZ2-10P	7314150550838	10	1	PZ2	25	13
66IM/PZ2-25P	7314150550852	25	1	PZ2	25	13
66IM/PZ3-2P	7314150445974	2	1	PZ3	25	14
66IM/PZ3-10P	7314150550876	10	1	PZ3	25	14



## 66IM/T

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR TORX® HEAD SCREWS 25 MM



#### FEATURES:

- For TORX® screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- TORX® bits are colour-coded for easy tip size identification
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, DIN 3126, ISO 1173, style C 6.3
- #In blister pack of 2 pieces and plastic boxes of 10 pieces / 25 pieces

66IM/T10C-2P	7314150445981	2	1	T10	2,74	25 11
66IM/T10C-10P	7314150550913	10	1	T10	2,74	25 11
66IM/T15C-2P	7314150445998	2	1	T15	3,27	25 12
66IM/T15C-10P	7314150550937	10	1	T15	3,27	25 12
66IM/T20C-2P	7314150446001	2	1	T20	3,86	25 12
66IM/T20C-10P	7314150550951	10	1	T20	3,86	25 12
66IM/T20C-25P	7314150550975	25	1	T20	3,86	25 12
66IM/T25C-2P	7314150446018	2	1	T25	4,43	25 13
66IM/T25C-10P	7314150550999	10	1	T25	4,43	25 13
66IM/T25C-25P	7314150551019	25	1	T25	4,43	25 13
66IM/T27C-2P	7314150446025	2	1	T27	4,99	25 13
66IM/T27C-10P	7314150551033	10	1	T27	4,99	25 13
66IM/T30C-2P	7314150446032	2	1	T30	5,52	25 14
66IM/T30C-10P	7314150551057	10	1	T30	5,52	25 14
66IM/T30C-25P	7314150551071	25	1	T30	5,52	25 14
66IM/T40C-2P	7314150446049	2	1	T40	6,65	25 15
66IM/T40C-10P	7314150550890	10	1	T40	6,65	25 15



## 66IM/50PH

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR PHILLIPS HEAD SCREWS 50 MM



#### FEATURES:

- For Phillips screws, impact bits
- Impact bits are suitable for impact drivers
- Sturdy bits for heavy duty applications
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, DIN 3126, ISO 1173, style E 6.3
- In blister pack of 2 pieces and plastic boxes of 10 pieces

66IM/50PH1-2P	7314150446056	2	1	PH1	50	18
66IM/50PH1-10P	7314150550470	10	1	PH1	50	18
66IM/50PH2-2P	7314150446063	2	1	PH2	50	19
66IM/50PH2-10P	7314150550494	10	1	PH2	50	19
66IM/50PH3-2P	7314150446087	2	1	PH3	50	20
66IM/50PH3-10P	7314150550517	10	1	PH3	50	20



## 66IM/50PZ

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR POZIDRIV HEAD SCREWS 50 MM



#### FEATURES:

- For Pozidriv screws, impact bits
- Robust bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, DIN 3126, ISO 1173, style E 6.3
- In blister pack of 2 pieces and plastic boxes of 10 pieces

66IM/50PZ1-2P	7314150446094	2	1	PZ1	50	18
66IM/50PZ1-10P	7314150550531	10	1	PZ1	50	18
66IM/50PZ2-2P	7314150446100	2	1	PZ2	50	19
66IM/50PZ2-10P	7314150550555	10	1	PZ2	50	19
66IM/50PZ3-2P	7314150446117	2	1	PZ3	50	20
66IM/50PZ3-10P	7314150550579	10	1	PZ3	50	20





## 66IM/50TC

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR TORX® HEAD SCREWS 50 MM



#### FEATURES:

- For TORX® screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- TORX® bits are colour-coded for easy tip size identification
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, DIN 3126, ISO 1173, style E 6.3
- In blister pack of 2 pieces and plastic boxes of 10 pieces

66IM/50T10C-2P	7314150446131	2	1	T10	2,74	50	19
66IM/50T10C-10P	7314150550593	10	1	T10	2,74	50	19
66IM/50T15C-2P	7314150446148	2	1	T15	3,27	50	20
66IM/50T15C-10P	7314150550616	10	1	T15	3,27	50	20
66IM/50T20C-2P	7314150446155	2	1	T20	3,86	50	20
66IM/50T20C-10P	7314150550630	10	1	T20	3,86	50	20
66IM/50T25C-2P	7314150446162	2	1	T25	4,43	50	20
66IM/50T25C-10P	7314150550654	10	1	T25	4,43	50	20
66IM/50T27C-2P	7314150446179	2	1	T27	4,99	50	21
66IM/50T27C-10P	7314150550678	10	1	T27	4,99	50	21
66IM/50T30C-2P	7314150446186	2	1	T30	5,52	50	23
66IM/50T30C-10P	7314150550692	10	1	T30	5,52	50	23
66IM/50T40C-2P	7314150446193	2	1	T40	6,65	50	19
66IM/50T40C-10P	7314150550715	10	1	T40	6,65	50	19



## 66IM/90PH

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR PHILLIPS HEAD SCREWS 90 MM



#### FEATURES:

- For Phillips screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive
- DIN 3126, ISO 1173, style E 6.3
- In blister pack of 2 pieces

66IM/90PH2-2P	7314150550296	2	1	PH2	89	43
66IM/90PH3-2P	7314150550319	2	1	PH3	89	44



## 66IM/90PZ

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR POZIDRIV HEAD SCREWS 90 MM



#### FEATURES:

- For Pozidriv screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, DIN 3126, ISO 1173, style E 6.3
- In blister pack of 2 pieces

66IM/90PZ2-2P	7314150550333	2	1	PZ2	89	44
66IM/90PZ3-2P	7314150550357	2	1	PZ3	89	46



## 66IM/90TC

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR TORX® HEAD SCREWS 90 MM



#### FEATURES:

- For TORX® screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- TORX® bits are colour-coded for easy tip size identification
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, DIN 3126, ISO 1173, style E 6.3
- In blister pack of 2 pieces

66IM/90T15C-2P	7314150550371	2	1	T15	3.27	89
66IM/90T20C-2P	7314150550395	2	1	T20	3.86	89
66IM/90T25C-2P	7314150550418	2	1	T25	4.43	89
66IM/90T30C-2P	7314150550432	2	1	T30	5.52	89
66IM/90T40C-2P	7314150550456	2	1	T40	6.65	89





66IM/150PH

## 1/4" IMPACT TORSION SCREWDRIVER BITS FOR PHILLIPS HEAD SCREWS 150 MM



### FEATURES:

- For Phillips screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life

- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive
- DIN 3126, ISO 1173, style E 6.3
- In blister pack of 2 pieces

66IM/150PH2-2P	7314150550173	2	1	PH2	150	76



66IM/150PZ

## 1/4" IMPACT TORSION SCREWDRIVER BITS FOR POZIDRIV HEAD SCREWS 150 MM



### FEATURES:

- For Pozidriv screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life


- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, DIN 3126, ISO 1173, style E 6.3
- In blister pack of 2 pieces

66IM/150PZ2-2P	7314150550197	2	1	PZ2	150	76



## 66IM/150TC

### 1/4" IMPACT TORSION SCREWDRIVER BITS FOR TORX® HEAD SCREWS 150 MM



#### FEATURES:

- For TORX® screws, impact bits
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- TORX® bits are colour-coded for easy tip size identification
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- Absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive
- DIN 3126, ISO 1173, style E 6.3
- In blister pack of 2 pieces

66IM/150T20C-2P	7314150550210	2	1	T20	3.86	150	77
66IM/150T25C-2P	7314150550234	2	1	T25	4.43	150	77
66IM/150T30C-2P	7314150550258	2	1	T30	5.52	150	79
66IM/150T40C-2P	7314150550272	2	1	T40	6.65	150	81



## 66IM/M50

### 1/4" IMPACT TORSION HEX HEAD MAGNETIC NUT DRIVERS



#### FEATURES:

- For hex head screws, bolts and nuts
- Strong permanent magnet
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive, suitable for power tools with DIN 3126, ISO 1173, style E 6.3
- In plastic holder with 1 piece


66IM/M50-6-1P	7314150550111	1	1	6	48	23	
66IM/M50-7-1P	7314150550135	1	1	7	48	23	
66IM/M50-8-1P	7314150550159	1	1	8	48	28	
66IM/M50-10-1P	7314150550050	1	1	10	48	31	
66IM/M50-11-1P	7314150550074	1	1	11	48	31	
66IM/M50-13-1P	7314150550098	1	1	13	48	33	





66IM/KM

## 1/4" IMPACT TORSION HEX UNIVERSAL MAGNETIC BIT HOLDERS



TORSION



### FEATURES:


- Universal bit holder for 1/4" hex bits
- Strong permanent magnet
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration 1lt absorbs torque peaks, avoiding premature wear and tear and improving service life
- Stainless steel body for corrosion protection
- For bits according to DIN 3126, ISO 1173, style C 6.3 and E 6.3
- 1/4" hex drive, suitable for power tools with DIN 3126, ISO 1173, style E 6.3
- In plastic holder with 1 piece

66IM/KM75-1P	7314150550012	1	1	1/4"	75	25
66IM/KM150-1P	7314150549979	1	1	1/4"	150	50
66IM/KM300-1P	7314150549993	1	1	1/4"	300	90



66IM/KMQR

## 1/4" IMPACT TORSION HEX UNIVERSAL MAGNETIC BIT HOLDERS WITH QUICK RELEASE 75 MM



TORSION



### FEATURES:

- Universal bit holder for 1/4" hex bits
- With quick release system for easy and safe bit locking
- Strong permanent magnet
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life
- For bits according to DIN 3126, ISO 1173, style C 6.3 and E 6.3
- 1/4" hex drive, suitable for power tools with DIN 3126, ISO 1173, style E 6.3
- In plastic holder with 1 piece

66IM/KM75QR-1P	7314150550036	1	1	1/4"	75	28



66IM/K

## 1/4" IMPACT TORSION HEX DRIVE 1/2" SOCKET ADAPTOR 50 MM



### FEATURES:


- Adaptor for mechanical nut driver sockets
- 1/4", 3/8" and 1/2" external square drive
- Ball type, for use with all regular and impact nut driver sockets
- 1/4" hex drive, suitable for power tools with DIN 3126, ISO 1173, style E 6.3
- Suitable for DIN 3120, ISO 1174, style F 6.3, F 10, F 12,7
- In plastic holder with 1 piece

66IM/K50-1/4-1P	7314150549931	1	1	1/4"	1/4"	50	14
66IM/K50-1/2-1P	7314150549917	1	1	1/4"	1/2"	50	33
66IM/K50-3/8-1P	7314150549955	1	1	1/4"	3/8"	50	21



66IM/31C-1

## 1/4" IMPACT TORSION BIT SET FOR SLOTTED/ PHILLIPS/POZIDRIV/TORX®/HEX SCREWS - 31 PCS



### FEATURES:

- For slotted, Phillips, Pozidriv, TORX®, hex head screws.
- PH2G bits for use with reduced shaft diameter for drywall construction
- TORX® bits have colour-coded sleeves for easy tip size identification
- Developed for use with impact drivers and suitable for hard material applications.
- Designed for long-term use, the torsion zone can effectively spread the force concentration.
- Torsion zone absorbs torque peaks and makes the bits more resistant to sudden impacts, preventing premature tip breakage and improving service life.



- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive DIN 3126 and ISO 1173, style C 6.3
- 75 mm magnetic quick release bit holder with lock in system (style E 6.3)
- Small, compact plastic case is sturdy, tough and durable for good protection
- With belt clip, on hanging cardboard card

### SET CONTENT INCLUDES 31 PIECES:

- 25 mm bits: SL4.5, SL5.5, PH1, PH2x3, PH3, PH2Gx2, PZ1, PZ2x3, PZ3, T10, T15x3, T20x3, T25x2, T27, T30x2, HEX3, HEX4, HEX5, HEX6
- 1 slim impact resistant magnetic quick release bit holder

66IM/31C-1	7314150528158	31	1	42	110	65	225



66IM/40C-1

## 1/4" IMPACT TORSION BIT SET FOR PHILLIPS / POZIDRIV / TORX® / HEX HEAD SCREWS - 40 PCS



The bits are safely stored in **90° rotatable racks** for easy removal and replacement.



The patented locking system keeps the case firmly open at 180°.



The locking system prevents the case from closing and trapping fingers while holding it in an open, 180° position.



T10 T15 T20 T25 T27 T30 T40





Attach and detach the lid and base of the case without affecting its flexible storage options.



Each set includes a label to write your name or personal details, making it easy to identify.



The glass fibre-reinforced case protects your impact bits and keeps them stored safely.



### FEATURES:

- For Phillips, Pozidriv, TORX®, hex head screws.
- TORX® bits have colour-coded sleeves for easy tip size identification
- Developed for use with impact drivers and suitable for hard material applications.
- Designed for long-term use, the torsion zone can effectively spread the force concentration.
- Torsion zone absorbs torque peaks and makes bits more resistant to sudden impacts, preventing premature tip breakage and improving service life.
- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive DIN 3126 and ISO 1173, style C 6.3
- 75 mm magnetic quick release bit holder with lock in system (style E 6.3)

- Sturdy glass fibre-reinforced case, tough and durable for good protection
- The patented case has a 180° locking feature and stays open even if turned, without closing on your fingers.
- The case lid and body can be split for flexible organizing in a trolley drawer or toolkit.
- The boxes are designed to be stacked on top of each other without sliding when using multiple sets.
- Swiveling racks for space optimization and easy access
- Sticker included in set for personalization and user identification
- Supplied in a cardboard sleeve.


### SET CONTENT INCLUDES 40 PIECES:

- 25 mm bits: PZ2, T10, T15, T20x2, T25x2, T30, H2.5
- 50 mm bits: PH1, PH2, PH3, PZ1, PZ2, PZ3, T10, T15, T20x3, T25x3, T27, T30x2, T40
- 90 mm bits: T15, T20x2, T25x2, T30, T40
- 1 slim impact resistant magnetic quick release bit holder
- 50mm 1/4" Socket Adaptor
- 50 mm Magnetic Nut Drivers: 8, 10, 11 and 13mm

66IM/40C-1	7314150548385	40	1	175	110	45	607

## 66IM/11C-1

# 1/4" HEAVY-DUTY TORSION BIT SET FOR PHILLIPS / POZIDRIV / TORX® WITH SOFT PLASTIC HOLDER - 11 PCS



## FEATURES:

- For Phillips, Pozidriv and TORX® screws
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- TORX bits are colour-coded for easy tip size identification
- Designed for long-term use, the torsion zone can effectively spread the force concentration.
- It absorbs torque peaks, avoiding premature wear and tear and improving service life

- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive bits, DIN 3126, ISO 1173, style C 6.3
- Magnetic torsion quick release bit holder with lock-in system (style E 6.3)
- Soft plastic holder with belt clip, safety lock
- In transparent small box

66IM/11C-1	7314150450718	11	40	25	37	140	100


## SET CONTENT INCLUDES 11 PIECES:

- 25 mm bits: PH2 x2, PH3, PZ2 x2, PZ3, T20 x2, T25, T30
- 1 magnetic quick release bit holder



## 66IM/10C-1

# 1/4" HEAVY-DUTY TORSION BIT SET FOR PHILLIPS / POZIDRIV / TORX® WITH SOFT PLASTIC HOLDER - 10 PCS



## FEATURES:

- For Phillips, Pozidriv and TORX® screws
- Sturdy bits for heavy duty applications
- Impact bits are suitable for impact drivers
- TORX bits are colour-coded for easy tip size identification
- Designed for long-term use, the torsion zone can effectively spread the force concentration
- It absorbs torque peaks, avoiding premature wear and tear and improving service life

- High performance alloy steel
- Manganese phosphate finish
- 1/4" hex drive bits, DIN 3126, ISO 1173, style E 6.3
- Soft plastic holder with safety lock belt clip
- In transparent small box

66IM/10C-1	7314150450732	10	40	10	50	140	104

## SET CONTENT INCLUDES 10 PIECES:

- 50 mm bits: PH2 x2, PH3, PZ2 x2, PZ3, T20 x2, T25, T30

